




ELEVATION



SECTION 'A'-A'



PLAN



BLOCK PLAN

BUILT UP AREA CALCULATIONS

| BUILDING SIZE | [PROPOSED] | SQ. M. |
|---------------------|------------|---------------|
| MAIN BUILDING : | Ⓐ | |
| 16.30m X 8.50m | = | 138.55 |
| PLATFORMS : | Ⓑ | |
| 1 NO X6.02m X 1.80m | = | 0010.84 |
| TOTAL B / UP= | | 149.39 sq. m. |

| SCHEDULE OF ROLLING SHUTTERS/VENTILATORS | | | |
|--|---------------|-----|--|
| TYPE | SIZE (IN CMS) | NO. | DISCRIPTION |
| RS | 210 X 250 | 1 | PULL & PUSH TYPE FIXED FROM INSIDE STEEL ROLLING SHUTTER REF-SPECIFICATION |
| V1 | 60 X 60 | 10 | STEEL VENTILATORS FULLY GLAZED WITH SHUTTERS(BOX HINGES) 6mm SQ. MESH 18 SWG. TO BE FIXED BY 19mmX3mm M.S. FLAT & 12mm SQ. BARS (7 NOS.) IN VERTICLE POSITION @ 10cms C/C FIXED TO FRAME FROM OUTSIDE. |
| V2 | 100 X 60 | 14 | -----do----- |
| V3 | 130 X 45 | 2 | -----do----- |
| TURBO VENTILATOR | | 4 | |

| SCHEDULE OF R. C. C. COLUMNS. | | | |
|-------------------------------|---------|-----|---------------------------------|
| TYPE | SIZE | NO. | REMARKS |
| C1 | 30 X 50 | 4 | @ LONG WALLS |
| C2 | 30 X 50 | 2 | @ GABLE WALLS |
| C3 | 34 X 50 | 4 | @ GABLE WALLS |
| C4 @SHUTTER | 15 X 34 | 1 | TO BE POSTED ON DB @ RS PANNELS |
| CP | 57 X 30 | 2 | FOR PLATFORMS BELOW BEAM. |

DETAILS OF 1/200 MT. WH.BUILDING WITH 8.15m SPAN, UNIT NO.

AT :
DIST:-