



MAHARASHTRA STATE WAREHOUSING CORPORATION

(A Government Under taking)

583/B, Market Yard, Gultekadi, PUNE-411 037

Tel. 020-24206800

Email: -info@mswc.in, Website: mswarehousing.com

NO.MSWC/Computer/Printer/ 123

Date:- 11.05.2026

To,

Subject: Quotation for purchase of Canon imageCLASS MF465dw II new printer at MSWC new building, Head Office, Pune.

Sir,

The Maharashtra State Warehouse Corporation is inviting sealed quotation for supply and installation of Canon imageCLASS MF465dw II new printer at MSWC, Head Office, Pune. The specifications of the printer and other terms and conditions are as under –

Sr	Description	Unit Rate in Rs	Quantity	GST %	GST Amt in Rs	Total Amt in Rs
1	2	3	4	5	6	7 = 3x4 +6
1	Printer Canon imageCLASS MF465dw II (Specification mention in Annexure "A")		4			
2	Additional One Cartridge		4			

Terms and Conditions-

1. Price: The rate should be inclusive of all taxes. The percentage of GST should be indicated separately in the invoice.
2. Place of delivery and installation: Delivery and installation should be done at MSWC Head Office, Pune.
3. Payment: a) 100% payment will be paid after successfully installation of all printers in MSWC networks and submitted installation report duly signed by concern person of MSWC.
4. Warranty period – Onsite three years warranty.

5. Security Deposit: The successfully party will have to pay Security Deposit @ 5% of total cost online, which will be refunded after expiry of warranty period. MSWC bank details for the same is communicate separately to the successful agency.
6. Vendor should enclose PAN Card, GST certificate of company and Valid MAF (Manufacturer Authorization Form) for this work order from OEM along with quotation.
7. Successfully party to entre in an agreement with MSWC for this work on required stamp paper within 15 days from the date of work order.
8. MSWC reserves the right to accept and reject any or all quotations without assigning any reason.

The sealed quotation should be addressed to the Programmer within following dates and should be superscripted with “QUOTATION FOR Canon image CLASS MF465dw II PRINTER”.

Thanking You,

Quotation Date

Quotation submission date – From 11.05.2026 to 18.05.2026 up to 11.00 am

Last date of quotation - 11.05.2025 up to 11.00 am.

Quotation opening date – 18.05.2025 up to 2.00 pm.

Encl – Annexure “A”

Annexure - A
Technical Specification of Canon image CLASS MF465dw II Printer

Printing Method	Monochrome Laser Beam Printing
Print Speed	
A4*1	40 pages per minute
Letter*1	42 pages per minute
2-Sided	33 images per minute (A4) / 35 images per minute (Letter)
Print Resolution	600 x 600 dpi
Print Quality with Image Refinement Technology	1,200 x 1,200 dpi (Equivalent)
Warm-Up Time (From Power On)	14 s
First Print Out Time (FPOT) (Approx.) *2	
A4	5 s
Print Language	UFR II, PCL 6, Adobe® PostScript® 3™
Auto Duplex Print	Yes
Print Margins	Top/Bottom/Left/Right margin: 5 mm Top/Bottom/Left/Right margin: 10 mm (Envelope)
Supported File Format for USB Direct Print	JPEG, TIFF, PDF
Copy Speed	
A4	40 pages per minute
Copy Resolution	Up to 600 x 600 dpi
First Copy Out Time (FCOT) (Approx.) Platen Glass	
A4	6.1 s
First Copy Out Time (FCOT) (Approx.) ADF	
A4	6.1 s
Reduce/Enlargement	25 - 400% in 1% increments
Copy Features	Collate, 2 on 1, 4 on 1, ID Card Copy, Passport Copy, 2-sided originals
Scan	

Scan Resolution	
Optical	Up to 600 x 600 dpi
Driver Enhanced	Up to 9,600 x 9,600 dpi
Scan Type	Colour Contact Image Sensor
Maximum Scan Size	
Platen Glass	Up to 216 x 297 mm
Auto Document Feeder	Up to 216 x 356 mm
Scan Speed*3	
Platen Glass	1.8/1.9 s (Mono/Colour)
Auto Document Feeder, A4 (Mono/Colour)	Sided: 50 images per minute (Mono), 40 images per minute (Colour) Sided: 100 images per minute (Mono), 80 images per minute (Colour)
Colour Depth	24-bit
Pull Scan	Yes, USB and Network
Push Scan (Scan To PC) with MF Scan Utility	Yes, USB and Network
Scan To Cloud	MF Scan Utility
Scan Driver Compatibility	TWAIN, WIA
Send	
Send Method	SMB, Email, FTP, iFAX Simple
Colour Mode	Full Colour, Greyscale, Monochrome
Scan Resolution	300 x 600 dpi
File Format	JPEG (Single page), TIFF, PDF, Compact PDF, PDF (OCR)
Fax	
Modem Speed	Up to 33.6 Kbps (Up to 3 s/page)
Fax Resolution	Up to 400 x 400 dpi
Compression Method	MH, MR, MMR, JBIG
Memory Capacity*4	Up to 90 jobs
Speed Dials	Up to 281 dials
Group Dials / Destinations	Up to 299 dials
Sequential Broadcast	310 destinations
Receive Mode	Fax only, Fax/Tel Auto Switch, Answer Mode, Manual

Memory Backup	Permanent fax memory backup
Fax Features	Fax Forwarding, Remote Reception, PC Fax (Transmit only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports
Paper Handling	
Input Tray Capacity (Plain Paper, 80 g/m ²)	
Standard	
Cassette	250 sheets
Multi-Purpose Tray	100 sheets
Auto Document Feeder	50-Sheet Duplex, Single Pass
Optional	
Paper Feeder	550 sheets
Maximum	900 sheets (Standard + 1 Paper Feeder)
Output Tray Capacity (Plain Paper, 80 g/m ²)	150 sheets
Media Size	
Cassette / Paper Feeder	A4, A5, A6, Legal, Letter, Foolscap, Indian Legal, Custom (min. 105 x 148 mm to max. 216 x 355.6 mm) Note: The cassette will not fully close when loaded with paper longer than A4 size.
Multi-Purpose Tray	A4, A5, A6, Legal, Letter, Foolscap, Indian Legal, Index Card, Postcard, Envelope (COM10, Monarch, DL, C5), Custom (min. 76.2 x 127 mm to max. 216 x 355.6 mm)
Auto Document Feeder	A4, A5, A6, Letter, Legal (min. 148 x 105 mm to max. 216 x 356 mm). Business Card: 48 x 85 mm
2-Sided Printing	A4, Legal, Letter, Foolscap, Indian Legal, Custom (min. 210 x 279.4 mm to max. 216 x 355.6 mm)
Media Type	Plain Paper, Recycled Paper, Colour Paper, Bond Paper
Media Weight	
Cassette / Paper Feeder	60 - 120 g/m ²
Multi-Purpose Tray	60 - 199 g/m ²
Auto Document Feeder	50 - 105 g/m ² (Business Card: 80 - 209 g/m ²)
Connectivity & Software	

Standard Interfaces	
Wired	USB 2.0, 10Base-T/100Base-TX/1000Base-T
Wireless	Wi-Fi 802.11b/g/n (Infrastructure Mode, Access Point, WPS)
Network Protocol	
Print	LPD, RAW, IPP, IPPS, WSD-Print (IPv4, IPv6)
Scan	Email, SMB, WSD-Scan (IPv4, IPv6), FTP, OAuth 2.0
TCP/IP Application Services	mDNS, DHCP, Auto IP (IPv4), DHCPv6 (IPv6)
Management	SNMPv3 (IPv4, IPv6), HTTP/HTTPS, SNMP
Network Security	
Wired	IP/Mac Address Filtering, HTTPS, SNMPv3, IEEE802.1X, IPsec, TLS 1.3
Wireless	Infrastructure Mode: WPA-PSK(AES), WPA2-PSK(AES), WPA3-SAE(AES), WPA-EAP(AES), WPA2-EAP(AES), WPA3-EAP(AES). Access Point Mode: WPA2-PSK(AES), WPA3-SAE(AES)
Mobile Solution	Canon PRINT app, AirPrint®, Mopria®, Microsoft Universal Print
Compatible Operating System*5	Windows®10/11, Windows® Server 2016/2019/2022/2025, macOS 10.15 or later, Linux, Chrome OS
Other Features	Department ID, Secure Print, Skip Blank Page, Application Library
Available Software	Printer Driver, Fax Driver, Scanner Driver, MF Scan Utility, Toner Status
General	
Device Memory	1 GB
Storage (eMMC)	2 GB
Display	12.7 cm Color Touchscreen
Power Requirements	AC 220 - 240 V, 50/60 Hz
Power Consumption	
Operation	480 W (max. 1,250 W)
Standby	6 W
Sleep	0.9 W
Operating Environment	
Temperature	10 - 30°C

Humidity	20 - 80% RH (no condensation)
Monthly Duty Cycle* ⁶	80,000 pages
Dimensions (W x D x H)	420 x 460 x 375 mm
Weight* ⁷ (Approx.)	16.2 kg
Toner Cartridge* ⁸	
Standard	Cartridge 070: 3,000 pages (Bundled: 3,000 pages)
High	Cartridge 070H: 10,200 pages

Optional Accessories

Paper Feeder

Cassette Feeding Unit-AH1 (550sheets)